VALRIYA

SPEC GRADE COMMERCIAL LED LIGHTING


CLIENT
PROJECT
NOTES

2.3" ALP SERIES

ARCHITECTURAL LINEAR

The ALP Series is a versatile, specification-grade architectural linear fixture that can be configured into multiple shapes for endless design possibilities. Featuring field-adjustable up/down light distribution, lumen output, and CCT, it offers easy installation and flexibility for commercial, retail, and healthcare applications.

- 5 different lens options
- Hard-lid ceiling or drop ceiling compatible
- 0-10V Dim to 1% or 10%
- Individual or continuous runs
- Linear, corner, T, V, Y, X & Z joining accessories



SENSOR OPTION



TECHNICAL DETAILS

POWER 2FT	10W / 15W / 20W
POWER 4FT	20W / 30W / 40W
POWER 8FT	40W / 60W / 80W
COLOR TEMPERATURE	3000K / 3500K / 4000K
CRI	80+ CRI, 90+ CRI
VOLTAGE	110-277VAC
EFFICIENCY	Up to 105lm/w
DIMMING	0-10V Dim to 1% or 10%
HOUSING	Aluminum
MOUNTING	Suspension, Wall, Surface
OPERATING TEMPERATURE	14°F to 104°F
WARRANTY	5 Years
FINISH	Black, White
LOCATION	Damp
CERTIFICATIONS	UL

LUMENS 100% DOWN / DIFFUSER / 4000K

2FT	10W	15W	20W
	1,000lm	1,500lm	2,100lm
4FT	20W	30W	40W
	2,000lm	3,000lm	4,200lm
8FT	40W	60W	80W
	4,000lm	6,000lm	8,400lm


L70: 50,000+ HOURS

LENS OPTIONS



DIFFUSER | LOUVER | REFLECTOR | REGRESS | WALL WASH

DIMENSIONS



2.3" ALP SERIES
ARCHITECTURAL LINEAR

VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

ORDERING GUIDE

Example: VA-ALP-4-LVA-810-ADJ-W-D-SM

VA-ALP — [ ] — [LV] — [ ] — [ ] — [ ] — [ADJ]

SIZE / POWER
[2] 2ft 10W / 15W / 20W
[4] 4ft 20W / 30W / 40W
[8] 8ft 40W / 60W / 80W
[X] Xft Total Run (Linear Joiner)

VOLTAGE
[LV] 110-277VAC

DISTRIBUTION
[A] Adjustable Up/Down
[D] Down 100%

CRI
[8] 80+ CRI
[9] 90+ CRI

DIMMING
[10] Dim to 10%
[01] Dim to 1%

CCT
[ADJ] 30K / 35K / 40K

[ ] — [ ] — [ ] — [ ] — [ ]

FINISH
[W] White
[B] Black
[C] Custom

DOWN LENS
[D] Diffuser
[L] Louver
[R] Regress
[M] Micro Reflector [1]
[W] Wall Wash 30°

MOUNTING
[5S] 5ft Aircraft Suspension
[12S] 12ft Aircraft Suspension
[XS] Custom Aircraft Suspension
[SM] Surface Mount
[WM] Wall Mount

PENDANT CEILING
[DC] Hard-Lid Ceiling to J-Box
[DF] Drop Ceiling Clips for 9/16" & 15/16" Flat Ceiling
[9S] Drop Ceiling Clips for 9/16" Slot Ceiling
[5S] Drop Ceiling Clips for 15/16" Slot Ceiling

POWER CORD
[4W] 4ft White
[12W] 12ft White
[XW] Custom White
[4B] 4ft Black
[12B] 12ft Black
[XB] Custom Black

[ ] — [ ] — [ ]

PENDANT CANOPY
[RW] Round White (1.6" & 4.5" for Power)
[SW] Square White (1.6" & 4.5" for Power)
[RB] Round Black (1.6" & 4.5" for Power)
[SB] Square Black (1.6" & 4.5" for Power)

EMERGENCY
[IE15] Internal 15W EM Driver
[E15] External 15W EM Driver
[E25] External 25W EM Driver

SENSOR
[S1] ANT-15P-KIT (PIR Motion & Daylight)
[S2] ANT-15P-KIT-BLE (Bluetooth® PIR Motion & Daylight)

For custom shapes and designs please contact us [1] Only available with [8] 80+ CRI option

ACCESSORIES*

SKU	DESCRIPTION
VA-ALP-LC	Linear Joiner
VA-ALP-CC	Corner Joiner (90° Non-Illuminated)
VA-ALP-VC	V-Joiner (120° Non-Illuminated)
VA-ALP-TC	T-Joiner (90° Non-Illuminated)
VA-ALP-YC	Y-Joiner (120° Non-Illuminated)
VA-ALP-4C	X-Joiner (90° Non-Illuminated)
VA-ALP-ZC	Z-Joiner (Vertical Non-Illuminated)
VA-ALP-CL	Corner Joiner (90° Illuminated)
VA-ALP-VL	V-Joiner (120° Illuminated)
VA-ALP-TL	T-Joiner (90° Illuminated)
VA-ALP-YL	Y-Joiner (120° Illuminated)
VA-ALP-4L	X-Joiner (90° Illuminated)
VA-ALP-40L	40ft Continuous Lens
VA-ALP-TJB	T-Bar Junction Box
RC100	Wireless Remote (BRI & ANT Series)

ACCESSORIES


LINEAR JOINER


CORNER JOINER


V-JOINER


T-JOINER


Y-JOINER


X-JOINER


Z-JOINER


VA-ALP-40L


VA-ALP-TJB



RC100

*Items must be ordered separately

2.3" ALP SERIES
ARCHITECTURAL LINEAR


VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

NON-ILLUMINATED JOINER DIMENSIONS



VA-ALP-LC (Linear Joiner) | VA-ALP-CC (Corner Joiner) | VA-ALP-VC (V-Joiner) | VA-ALP-TC (T-Joiner) | VA-ALP-YC (Y-Joiner) | VA-ALP-XC (X-Joiner) | VA-ALP-ZC (Z-Joiner)

ILLUMINATED JOINER DIMENSIONS



VA-ALP-CL (Lit Corner Joiner) | VA-ALP-VL (Lit V-Joiner) | VA-ALP-TL (Lit T-Joiner) | VA-ALP-YL (Lit Y-Joiner) | VA-ALP-XL (Lit X-Joiner)

CUSTOM SHAPE ORDERING

Example: VA-ALP-R-2-4


VA-ALP — [ ] — [ ]


SHAPE

[S] Square
[R] Rectangle
[H] Hexagon
[L] L-Shape
[T] T-Shape
[Y] Y-Shape
[X] X-Shape

LENGTHS

[X-X] X = 2ft, 4ft, or 8ft (X1 - X2 - X3 - X4)
See dimensional illustrations below






SQUARE | RECTANGLE | HEXAGON | L-SHAPE | T-SHAPE | Y-SHAPE | X-SHAPE

For custom shapes and designs please contact us

2.3" ALP SERIES
ARCHITECTURAL LINEAR


VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

MOUNTING POINTS



	A	B	C
2′	23.70″	23.1″	15.6″
4′	47.7″	47.1″	39.6″
8′	95.2″	93.1″	87.1″

LINEAR RUNS



INDIVIDUAL RUN

CONTINUOUS RUN
(Up to 40ft in 120VAC, 100ft in 277VAC

LINEAR RUN CONFIGURATIONS

RUN LENGTH	CONFIGURATION	LINEAR CONNECTOR	POWER CABLE	AIRCRAFT CABLE	CANOPY
2'	2′	0	1	2	2
4'	4′	0	1	2	2
6'	4′+2′	1	1	3	3
8'	8′	0	1	2	2
10'	8′+2′	1	1	3	3
12'	8′+4′	1	1	3	3
14'	8′+4′+2′	2	1	4	4
16'	8′+8′	1	1	3	3
18'	8′+8′+2′	2	1	4	4
20'	8′+8′+4′	2	1	4	4
22'	8′+8′+4′+2′	3	1	5	5
24'	8′+8′+8′	2	1	4	4
26'	8′+8′+8′+2′	3	1	5	5
28'	8′+8′+8′+4′	3	1	5	5
30'	8′+8′+8′+4′+2′	4	1	6	6

2.3" ALP SERIES
ARCHITECTURAL LINEAR

VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING


PENDANT OPTIONS


1.6" Round
(Non Power Feed)


4.5" Round
(Power Feed)


1.6" Square
(Non Power Feed)


4.5" Square
(Power Feed)


Hard-Lid Ceiling / Off Grid
(Mount to J-Box)




Drop Ceiling / On Grid
(9/16" Flat & Slot, 15/16" Flat & Slot)


White
Power Cord


Black
Power Cord


ADJUSTABLE LIGHT DISTRIBUTION

EASILY CHANGE DISTRIBUTION WITH THE SWITCH ON THE FIXTURE



PHOTOMETRICS

4FT / 40W / 4000K / 100% DOWN



4FT / 40W / 4000K / 50% UP 50% DOWN

