VALRIYA

SPEC GRADE COMMERCIAL LED LIGHTING

CLIENT
PROJECT
NOTES

3" CP SERIES

CYLINDER PENDANT

The CP Series is a modular pendant ideal for commercial, residential, retail, or educational settings. Featuring multiple configurations, beam angles, and mounting options.

- 15°, 24°, 36°, and 60° beam angle options
- 90+ CRI standard
- Dim to warm option available
- Variety of design combinations

TECHNICAL DETAILS

POWER 3"	5W / 8W / 10W / 13W / 16W / 19W
COLOR TEMPERATURE	27K, 30K, 35K, 40K, Dim to Warm
CRI	90+ CRI, 95+ CRI
VOLTAGE	120-277VAC
EFFICIENCY	Up to 120lm/w
DIMMING	0-10V Dim to 1% or Triac
BEAM ANGLE	15°, 24°, 36°, 60°
HOUSING	Aluminum
MOUNTING	Pendant, Surface, Wall
OPERATING TEMPERATURE	-4°F to 104°F
WARRANTY	5 Years
FINISH	Black, White, Silver, Gold, Chrome
LOCATION	Damp
CERTIFICATIONS	UL

LUMENS 3000K / 24°

5W	8W	10W
575lm	960lm	1,150lm
13W	16W	19W
1,490lm	1,760lm	1,995lm

L70: 50,000+ HOURS

TRIM OPTIONS

STANDARD DECORATIVE WALL WASH DROP LENS

DIMENSIONS

STANDARD DROP LENS



PENDANT RECESSED J-BOX



CONDUIT CUTOUT FOR SURFACE J-BOX



WALL MOUNT



3" CP SERIES
CYLINDER PENDANT

VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

ORDERING GUIDE

Example: VA-CP-3R-3090DM-WG-PCR2

VA-CP — [3R] — [ ] — [ ] — [D]

SIZE / POWER
[3R] 3" - 5W / 8W / 10W / 13W / 16W / 19W

CCT
[27] 2700K
[30] 3000K
[35] 3500K
[40] 4000K
[DW] Dim to Warm 30K-20K

CRI
[90] 90+ CRI
[95] 95+ CRI [1]

DIMMING
[D] 0-10V
DIM to 1%
OR TRIAC

BEAM
[N] Narrow 15°
[M] Medium 24°
[W] Wide 36°
[F] Flood 60°

FINISH
[W] White
[B] Black
[S] Silver [4]

TRIM
[W] White
[B] Black
[G] Gold
[C] Chrome
[DL] Drop Lens
[WWW] White Wall Wash
[BWW] Black Wall Wash

MOUNTING
[PR][2] Pendant w/ Flat Canopy for Recessed J-Box
[PC][2] Pendant w/ Conduit Cutout Deep Canopy for Surface Mounted 4" Octagonal J-Box
[SR] Surface Mount to Recessed J-Box
[SC] Surface Mount w/ Conduit for Surface Mounted 4" Octagonal J-Box
[WM] Wall Mount

SUSPENSION
[C2] 2ft Cable for Pendant
[C4] 4ft Cable for Pendant
[C8] 8ft Cable for Pendant
[C12] 12ft Cable for Pendant
[R2] 2ft Rigid Stem for Pendant
[R4] 4ft Rigid Stem for Pendant
[R8] 8ft Rigid Stem for Pendant
[R12] 12ft Rigid Stem for Pendant

OPTIONS

DECORATIVE KIT
[YB] Yellow w/ Black
[GB] Green w/ Black
[TB] Transparent w/ Black
[BB] Blue w/ Black
[RB] Red w/ Black
[YW] Yellow w/ White
[GW] Green w/ White
[TW] Transparent w/ White
[BW] Blue w/ White
[RW] Red w/ White

OPTIC
[HB] Hex Baffle [3]

EMERGENCY
[E] 15W EM Driver

[1] Only for Dim to Warm option [2] Must also select Suspension option [3] Not available with Drop Lens or Wall Wash trims [4] Cable will be white if selecting pendant option

TRIM OPTIONS

WHITE

BLACK

GOLD

CHROME

DROP LENS

WHITE WALL WASH

BLACK WALL WASH

DECORATIVE KITS

YELLOW

GREEN

TRANSPARENT

BLUE

RED

3" CP SERIES
CYLINDER PENDANT

VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

MOUNTING OPTIONS

Pendant w/ Recessed J-Box

Pendant w/ Conduit Cutout for Surface J-Box

Surface Mount to Recessed J-Box

Surface Mount w/ Conduit Cutout for Surface J-Box

Wall Mount

PHOTOMETRICS 10W / 3000K / 36°



FIXED CCT 27K / 30K / 35K / 40K / 90+ CRI



DIM TO WARM 3000K-2000K / 95+ CRI