

WPB SERIES

ADJUSTABLE WALL PACK

The WPB Series features a full cut off architectural design for focused light distribution. Ideal for security, perimeter, building entry, and walkway applications.

- Die-cast aluminum alloy with a dark bronze finish
- Optional motion sensor, and EM integration available
- Built-in photocell with on/off switch
- Wet location rated
- UL, ETL, IP65, DLC® (Pending)

CLIENT

PROJECT

NOTES



TECHNICAL DETAILS

POWER SMALL	12W / 18W / 24W
POWER MEDIUM	20W / 30W / 42W
POWER LARGE	50W / 60W / 80W
POWER X LARGE	100W / 120W
COLOR TEMPERATURE	3000K / 4000K / 5000K
CRI	80+ CRI
VOLTAGE	120-277VAC
EFFICIENCY	Up to 130lm/w
DIMMING	0-10V
HOUSING	Die-Cast Aluminum
OPERATING TEMPERATURE	-13°F to 113°F
WARRANTY	5 Years
FINISH	Dark Bronze, Black, White, Gray
LOCATION	Wet
CERTIFICATIONS	UL, ETL, IP65, DLC® (Pending)


LUMENS 4000K

SMALL	12W	18W	24W
	1,560lm	2,340lm	3,120lm
MEDIUM	20W	30W	42W
	2,600lm	3,900lm	5,460lm
LARGE	50W	60W	80W
	6,500	7,800lm	10,400lm
X LARGE	100W	120W	
	13,000lm	15,600lm	


L70: 50,000+ HOURS

DIMENSIONS


SMALL EXTENDED BASE




MEDIUM EXTENDED BASE




SMALL / 3.6lbs




LARGE / 11.7lbs



MEDIUM / 5.4lbs



X LARGE / 16.1lbs



WPB SERIES

ADJUSTABLE WALL PACK

VALRIYA
SPEC GRADE COMMERCIAL LED LIGHTING

ORDERING GUIDE

Example: VA-WPB-LV42-ADJ-DB

VA-WPB	LV		ADJ	
	VOLTAGE	SIZE / POWER	CCT	FINISH
	[LV] 120-277VAC	[24] Small - 12W / 18W / 24W [42] Medium - 20W / 30W / 42W [80] Large - 50W / 60W / 80W [120] X Large - 100W / 120W	[ADJ] Adjustable CCT 30K / 40K / 50K	[D] Dark Bronze [B] Black [W] White [G] Gray [CC] Custom Color

ACCESSORIES*


SKU	DESCRIPTION
VA-EDM-4/8/15	4W / 8W / 15W Split EM Driver, CEC Listed
VA-WPB-JB	External Mounting Junction Box
VA-WPB-EB	Extended Base ¹
BRI823	Wireless Motion + Photocell
RC100	Wireless Programmable Remote (BRI823)

*Items must be ordered separately

¹Required for battery or sensor install in [LV24] & [LV42] options



PHOTOMETRICS 80W / 5000K



WPB SERIES

ADJUSTABLE WALL PACK

SKU	WATTAGE	CCT	LUMENS	CRI	VOLTAGE	QUICK SHIP
VA-WPB-LV24-ADJ-X	24W	4000K	3,120	80+	120-277VAC	No
VA-WPB-LV24-ADJ-X	18W	4000K	2,340	80+	120-277VAC	No
VA-WPB-LV24-ADJ-X	12W	4000K	1,560	80+	120-277VAC	No
VA-WPB-LV42-ADJ-X	42W	4000K	5,460	80+	120-277VAC	Yes
VA-WPB-LV42-ADJ-X	30W	4000K	3,900	80+	120-277VAC	Yes
VA-WPB-LV42-ADJ-X	20W	4000K	2,600	80+	120-277VAC	Yes
VA-WPB-LV80-ADJ-X	80W	4000K	10,400	80+	120-277VAC	Yes
VA-WPB-LV80-ADJ-X	60W	4000K	7,800	80+	120-277VAC	Yes
VA-WPB-LV80-ADJ-X	50W	4000K	6,500	80+	120-277VAC	Yes
VA-WPB-LV120-ADJ-X	120W	4000K	15,600	80+	120-277VAC	No
VA-WPB-LV120-ADJ-X	100W	5000K	13,000	80+	120-277VAC	No