

CLIENT _____
PROJECT _____
NOTES _____

UCB Series

Undercabinet

Highlights

- Commercial grade undercabinet fixture that features 90+ CRI LEDs
- Multi-volt compatibility (120V-277V AC). Suitable for any commercial application
- Dimmable with 0-10V controls and hi-lo switch on the fixture
- Features adjustable color temp: 3000K / 3500K / 4000K
- Comes standard with power cord, power and dimming extensions, and romex connector



Ordering Guide

Example: VA-UCB-14-CCT


VA-UCB-XX-CCT

VA	-	UCB	-	-	CCT
VALRIYA		FAMILY		SIZE	CCT
VA		UCB Undercabinet		XX 9 = 9", 5W 14 = 14", 8W 22 = 22", 12W 32 = 32", 16W 40 = 40", 20W	3000K / 3500K / 4000K

UCB Series

Undercabinet

0.1 Dimensions



SIZING (INCHES)

	UCB-9	UCB-14	UCB-22	UCB-32	UCB-40
A	9"	14"	22"	32"	40"
B	4"	4"	4"	4"	4"
C	1"	1"	1"	1"	1"

0.2 Technical Overview

CATEGORY	SPECIFICATION	DETAILS				
General Performance	Size	9"	14"	22"	32"	40"
	Nominal Power	5W	8W	12W	16W	20W
	Input Voltage	120-277V AC 50/60Hz				
	Dimming	Standard 0-10V Dimming				
	Color Temperature (CCT)	3000K / 3500K / 4000K				
	Nominal Lumens - 3000K	300lm	480lm	720lm	960lm	1,200lm
	- 3500K	350lm	560lm	840lm	1,120lm	1,400lm
	- 4000K	325lm	520lm	780lm	1,040lm	1,300lm
	Efficiency (lm/w)	3000K - 60lm/w, 3500K - 70lm/w, 4000K - 65lm/w				
	CRI	90+				
	Lumen Maintenance (L70)	50,000 Hours+				
	Beam Angle	120°				
	Linkable Wattage	500W				
	Physical	Dimensions (Inches)	See Above			
Housing		Aluminum				
Mounting		Surface Mounted				
Operating Temperature		-4°F to 113°F				
Certifications	Safety Certification	ETL				
	DLC Listed	N/A				
	Warranty	5 Year				

UCB Series

Undercabinet

0.3 SKU List

SKU	DESCRIPTION	WATTAGE	CCT	LUMENS	CRI	DIMMING	INPUT VOLTAGE	CERTIFICATIONS	ENERGY STAR	QUICK SHIP
VA-UCB-9-CCT	9" Undercabinet	5W	3000K-3500K-4000K	300-350-325	90+	0-10V	120-277VAC	ETL, Damp Location	No	Yes
VA-UCB-14-CCT	14" Undercabinet	8W	3000K-3500K-4000K	480-560-520	90+	0-10V	120-277VAC	ETL, Damp Location	No	Yes
VA-UCB-22-CCT	22" Undercabinet	12W	3000K-3500K-4000K	720-840-780	90+	0-10V	120-277VAC	ETL, Damp Location	No	Yes
VA-UCB-32-CCT	32" Undercabinet	16W	3000K-3500K-4000K	960-1120-1040	90+	0-10V	120-277VAC	ETL, Damp Location	No	Yes
VA-UCB-40-CCT	40" Undercabinet	20W	3000K-3500K-4000K	1200-1400-1300	90+	0-10V	120-277VAC	ETL, Damp Location	No	Yes

0.4 Included Accessories



Power Cord (5ft)



Butt Connectors



Romex Connector



Power Extension Cord (6")



0-10V Extension Cord (6")